

Drexel®

# Chloropicrin

Warning Agent

For Non-Pesticidal Use Only

For use only with Sulfuryl Fluoride specialty gas fumigants such as Master Fume®.

Not for use with any other type of structural gas fumigant.

**ACTIVE INGREDIENT:**

Chloropicrin ..... 96.0%

**OTHER INGREDIENTS:** ..... 4.0%

**TOTAL:** ..... 100.0%

Contains 13.7 pounds of chloropicrin per gallon.

**KEEP OUT OF REACH OF CHILDREN**

**DANGER PELIGRO**  
**POISON VENENO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**See FIRST AID Below**

**Net Content:** \_\_\_\_\_

**FIRST AID**

**IF INHALED:**

- Move person to fresh air. Keep warm.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Do not give anything by mouth to an unconscious person.
- Call a poison control center or doctor for further treatment advice.

**IF ON SKIN OR CLOTHING:**

- Immediately remove contaminated clothing, shoes or any other item on skin.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.
- Call a poison control center or doctor for treatment advice.

**IF IN EYES:**

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:**

- Call a poison control center or doctor for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**DANGER:** May be fatal if inhaled. May be fatal if absorbed through the skin. Causes severe burns of eye or skin. Causes severe burns of mouth and throat if swallowed. May cause severe allergic respiratory reaction. High concentration of this product can cause lung injury.

Do not get in eyes, on skin or on clothing. Avoid breathing gas vapor. Do not take internally. Avoid prolonged or repeated respiratory contact. Use only with adequate ventilation. Wash thoroughly after handling.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

**All persons applying chloropicrin must wear:** Long-sleeved shirt and long pants, chemical-resistant gloves (such as neoprene), and protective eyewear or face shield (DO NOT wear goggles).

Persons applying chloropicrin must wear either a positive pressure self-contained breathing apparatus or combination air-supplied/SCBA when applying chloropicrin to more than two chloropicrin introduction points within a single fumigated structure.

The employer of any person applying chloropicrin must make sure that they are provided and correctly wear the required PPE.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

**CHEMICAL HAZARD**

Chloropicrin is severely corrosive of metal containers made of magnesium, aluminum, or their alloys.

In case of emergency endangering health or the environment involving this product, call 1-800-424-9300. If you wish to obtain additional product information, call Drexel Chemical Company at (901) 774-4370.

**PRODUCT INFORMATION**

Chloropicrin is a Warning Agent which is a highly hazardous material and must be handled only by individuals trained in its proper use. Chloropicrin is introduced into the structure prior to fumigation of Master Fume Specialty Gas Fumigant. Consult Drexel Chemical Company for correct procedure before using.

If you wish to obtain additional product information, visit our web site at [www.drexchem.com](http://www.drexchem.com) (see Master Fume).

**DIRECTIONS FOR USE**

Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies elsewhere on this label. If terms are not acceptable, return at once unopened.**

To avoid direct exposure to the fumigant being released, this product must be released within the structure at least 5 to 10 minutes prior to introduction of the fumigant.

Manufactured For:

**Drexel Chemical Company**

P.O. BOX 13327, MEMPHIS, TN 38113-0327

**SINCE 1972**

Place a handful of wicking agent (e.g., cotton) in a shallow chloropicrin evaporation container. Do not use containers or application equipment made of magnesium, aluminum, or their alloys, as chloropicrin may be severely corrosive to such metals. To enhance the distribution of chloropicrin throughout the structure, place the shallow chloropicrin evaporation container in the air stream of a fan. Pour chloropicrin over the wicking agent. When adding chloropicrin to evaporation containers, dispense no more than 3 fl. ozs. per container. Use 1 fl. oz. per 10,000 to 15,000 cubic feet (30 ml per 283 to 425 cubic meters) of space to be fumigated or follow dosage rate calculated by the Drexel Chemical's MasterRate. Use one introduction site per 20,000 to 45,000 cubic feet. When applying this product at multiple chloropicrin introduction points within a structure, start at the point farthest from the exit and work toward the exit.

Removal of all chloropicrin evaporation containers from the fumigated space during initial phase of aeration after tarp removal will aid in the dissipation of the warning agent from the structure.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**PRODUCT STORAGE:** Store upright in a cool, dry, well-ventilated area under lock and key. Store only in original container.

**SPILL AND LEAK PROCEDURES:** Evacuate immediate area of spill or leak. Use a self-contained breathing apparatus (SCBA) for entry into affected area to correct the problem. Move the leaking or damaged containers outdoors or to an isolated location, observing strict safety precautions. Work upwind if possible. Allow spilled material to evaporate or absorb onto vermiculite, dry sand, earth or similar absorbent material.

Thoroughly aerate absorbent materials outdoors prior to disposing on site or at an approved disposal facility. Do not permit entry into spill area or cleanup area by unprotected persons until the concentration of chloropicrin is determined to be less than 0.1 ppm.

**CONTAINER DISPOSAL:** Nonrefillable container. Allow empty container to aerate with cap off within the fumigated space during fumigation. The location should be close to a fan and/or Chloropicrin introduction site. Replace cap. Dispose of container, after it has been aerated inside of the fumigated space, in a sanitary landfill or by other approved state and local procedures.

## TERMS AND CONDITIONS OF USE

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

## WARRANTY—CONDITIONS OF SALE

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

## INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with the use of this product. Personal injury (possibly including death), property (including plant) damage, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions (such as excessive wind or aeration), the manner of application, or other factors, all of which are beyond the control of Manufacturer. All such risks shall be assumed by Buyer.

## LIMITATION OF REMEDIES

To the extent consistent with applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to replacement of amount of product used.

Manufacturer shall not be liable for losses or damages resulting from handling or use of this product unless Manufacturer is promptly notified of such loss or damage in writing. In no case shall Manufacturer be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

Master Fume and the DREXEL logo are registered trademarks of Drexel Chemical Company.