

Alfalfa, Corn, Grain Sorghum & Soybean Aerial Applied Insecticides

Family Owned, American Company ~*Since 1972*~

INSECTICIDES						
Product	MOA	Application Rates	MIN GPA**	Compared To	PHI	REI
Carbaryl 4L	1A	0.5 to 1.5 qts./ac.	Aerial: 2; Ground: 10	Sevin [®] XLR	21 days	12 hours
Carbaryl 42.60%						
Pkg: 2.5 gals.	Restrictions: Do not apply more than 6 qts./ac. in a single season. Do not apply these products in combination with 2,4-DB herb Avoid applications when bees are actively foraging.					
Chlorpyrifos 4E-AG*	1B	0.5 to 2 pts./ac.	Aerial: 2; Ground: 10	Lorsban [®] Advanced, Pilot [™] 4E	28 days	24 hours
Chlorpyrifos 44.90% Pkg: 2.5 gals., 265 gals.	Target Pests: Black cutworm caterpillars, Dingy cutworm caterpillars, Corn rootworm adults, Green cloverworm caterpillars, Thistle caterpillars, Yellowstriped armyworm caterpillars, Grasshopper nymphs and adults, Soybean aphid nymphs and adults, Stinkbug nymphs and adults, Twospotted spider mite nymphs and adults, Japanese beetle adults and bean leaf beetle adults.					
	Restrictions: Do not make more than 3 applications in a single season. Do not apply more than 2 pts./ac. in a single application and do not reapply within 14 days. Do not apply more than 6 pts./ac. in a single season.					
Dimethoate LV-4	1B	19.1 fl. ozs./ac.; 0.5 lb. a.i./ac.; 1.0 to 1.5 pts./ac.	Aerial: 1; Ground: 10	Cygon [®] , Dimethoate 400	21 to 28 days	48 hours
Dimethoate 41.70% Pkg: 2.5 gals.	Target Pests: Grasshopper nymphs and adults, Soybean aphid nymphs and adults, Twospotted spider mite nymphs and adults, and Bean leaf beetle adults.					
1 kg. 2.0 galo.	Restrictions: Do not apply more than 0.5 lb. a.i./ac. in a single application and do not reapply within 7 days. Do not apply more than 1.0 lb. a.i./ac. in a single season.					
L-C Insecticide*	3A	0.96 to 3.84 fl. ozs./ac.; 0.015 to 0.03 lb. a.i./ac.	Aerial: 2; Ground: 10	Cavalry [™] , Grizzly [®] Z, Karate [®] , Silencer [®] , Warrior [®]	30 days	24 hours
Lambda-cyhalothrin 12.60% Pkg: 1 gal.	Target Pests: Black cutworm caterpillars, Dingy cutworm caterpillars, Green cloverworm caterpillars, Soybean looper caterpillars Thistle caterpillars, Yellowstriped armyworm caterpillars, Grasshopper nymphs and adults, Soybean aphid nymphs and adults Stinkbug nymphs and adults, Twospotted spider mite nymphs and adults, Bean leaf beetle and Japanese beetle adults. Restrictions: Do not apply more than 0.03 lb. a.i./ac. in a single application. Do not reapply within 5 days. Do not apply more than 0.06 lb. a.i./ac. in a single season.					
Lambdafos™*		6 to 38 fl. ozs./ac.	Aerial: 2; Ground: 10	Cobalt [®] Advanced	30 days	24 hours
Chlorpyrifos 28.12% Lambda-cyhalothrin 1.44%	Target Pests: Black cutworm caterpillars, Dingy cutworm caterpillars, Green cloverworm caterpillars, Thistle caterpillars, Yellow striped armyworm caterpillars, Grasshopper nymphs and adults, Soybean aphid nymphs and adults, Stinkbug nymphs and adults, Twospotted spider mite nymphs and adults, Bean leaf beetle adults, Corn rootworm adults and Japanese beetle adults.					
Pkg: 2.5 gals., 265 gals.	Restrictions: Do not make more than 3 applications of Lambdafos or another product containing Chlorpyrifos in a single season. Do not apply more than 38.0 fl. ozs./ac. in a single application. Do not reapply within 14 days. Do not apply more than 59.0 fl. ozs./ac. in a single season.					
Malathion 5EC	1B	16.0 to 25.6 fl. ozs./ac.; 0.63 to 1 lb. a.i./ac.	Aerial: 2; Ground: 10	Fyfanon [®] , Malathion 5	7 days	12 hours
Malathion 57.00% (Alfalfa, Corn & Sorghum only)	Target Pests: Fall armyworm caterpillars, True armyworm caterpillars, Yellowstriped armyworm caterpillars and Corn earworm caterpillars.					
Pkg: 1 gal., 2.5 gals.	Restrictions: Do not apply more than 1 lb. a.i./ac. during a single application. Do not apply more than 2 lbs. a.i./ac. in a single season. Wait a minimum of 7 days between applications.					

Visit us at www.DrexChem.com for Specimens and SDS

*RESTRICTED USE PESTICIDE **GPA = Gallons per acre

The DREXEL logo and products marked with " and $^{\circ}$ are trademarks and registered trademarks of Drexel Chemical Company. All other brand names, product names or trademarks belong to their respective holders. Always read and follow the label instructions on the product container(s) before using.